

ENGINE	<u>1.6 Multijet Diesel 1.598cc 130hp MT 4X2</u>
No. of cylinders, layout	4 – in line
Displacement (cm ³)	1.598
Bore x stroke (mm)	79,5 x 80,5
Valves per cylinder	4
Compression ratio	16,5:1
Maximum power in kW @ rpm	95,6 kW @ 3.750 rpm
Max torque in Nm @ rpm	320 Nm @ 1.500 rpm
Injection system	Multi-Jet II common rail with electronic high-pressure injection
Fuel type	Diesel
TRANSMISSION	
Transmission	6-speed manual
1a	4,151
2a	2,118
3a	1,361
4a	0,978
5a	0,756
6a	0,622
Reverse	4,000
PERFORMANCE	
Acceleration: 0-100 km/h (s)	10,4
Top speed (km/h)	193
CONSUMPTION AND EMISSIONS	
Emission standard	Euro 6D-FINAL
Fuel consumption – combined cycle (l/100km)	5.0 -5.3
CO ₂ emissions – combined cycle (g/km)	131 - 139
Fuel tank (litres)	55
Urea tank (litres)	13
Urea range (km)	10.000 – 15.000
WEIGHTS AND DIMENSIONS	
STD kerb weight. A (kg)	1.430
Weight distribution front (%)	61,2
Height (mm)	1.667
Width (mm)	1.805
Length (mm)	4.236
Wheelbase (mm)	2.570
Ground clearance	175
Cargo volume (l) with seats up	351

Cargo volume (l) with rear seats folded	1.297
---	-------

OTHER

Turning circle (m)	11,07
Steering ratio	53,7 mm/g

