

ENGINE	Cherokee – 2.2L FWD AT 195 hp
Displacement (cm3)	2184
Bore & Stroke (mm)	83.8 x 99.0
Compression ratio	15,5:1
Configuration	L4
Valves	16
Power (KW @ rpm)	143@3500
Torque (Nm @rpm)	450@2000
Fuel type	DIESEL
Fuel Tank Capacity (l)	60
Urea tank capacity (l)	15,7
TRANSMISSION	
Gearbox	9-speed automatic transmission
Gear ratios 1st	4,700
Gear ratios 2nd	2,842
Gear ratios 3rd	1,909
Gear ratios 4th	1,382
Gear ratios 5th	1,000
Gear ratios 6th	0,808
Gear ratios 7th	0,699
Gear ratios 8th	0,58
Gear ratios 9th	0,479
Reverse	3,805
TRACTION	
Traction system	Front Wheel Drive
Final drive ratio	4,083
WEIGHT AND DIMENSIONS	
Towing capacity braked trailer (kg)	2370
Max. vertical load on coupling point (kg)	125
Base curb weight (kg)	min: 1834 kg / max: 1958 kg
Length (mm)	4623
Width (mm)	1859
Height (mm) at roof rails	1669
Wheelbase (mm)	2705
Track front (mm)	1593
Track rear (mm)	1603
Brakes - Vented front rotors (mm)	330 X 28

Brakes - Solid rear rotors (mm)	278 x 12
Steering ratio	15:1
Turning diameter (curb to curb) (m)	11,6
Steering turns (lock to lock)	2,56
Approach Angle (degrees)	16,7
Departure Angle (degrees)	24,6
Break Over Angle (degrees)	17,7
Ground clearance (mm)	150
Water fording (mm)	406,4
Cargo Volume up to tonneau cover - Seat full forward [l]	570
Cargo Volume up to tonneau cover - Seat design position [l]	448
Cargo Volume up to 2nd Row Seatback, - Seat full forward [l]	552
Cargo Volume up to 2nd Row Seatback - Seat design position [l]	437
EMISSION AND FUEL CONSUMPTION*	
Emission Class	Euro 6d-Temp
Emission CO ₂ (g/km) Combined	161
Fuel consumption (L/100km) Urban	7,2
Fuel consumption (L/100km) Extra urban	5,4
Fuel consumption (L/100km) Combined	6,1
PERFORMANCE	
Performance (0-100 Km/h) (sec)	9,1
Top Speed (km/h)	205

* CO₂ and fuel consumption values determined on the basis of the measurement/correlation method referring to the NEDC cycle as per Regulation (EU) 2017/1152-1153

The homologation values of CO₂ and fuel consumption may not reflect the actual values of CO₂ and fuel consumption, which depend on many factors related, by way of example but not limitation, to the driving style, the route, the weather and road conditions, as well as the condition, use and equipment of the vehicle.

The indicated value of CO₂ and fuel consumption refers to the versions of the vehicle with the highest and the lowest values. Those values may change with subsequent configuration depending on equipment selected and/or size of tires selected.

ENGINE	Cherokee – 2.2L AWD AT 195 hp
Displacement (cm3)	2184
Bore & Stroke (mm)	83.8 x 99.0
Compression ratio	15,5:1
Configuration	L4
Valves	16
Power (KW @ rpm)	143@3500
Torque (Nm @rpm)	450@2000
Fuel type	DIESEL
Fuel Tank Capacity (l)	60
Urea tank capacity (l)	15,7
TRANSMISSION	
Gearbox	9-speed automatic transmission
Gear ratios 1st	4,700
Gear ratios 2nd	2,842
Gear ratios 3rd	1,909
Gear ratios 4th	1,382
Gear ratios 5th	1,000
Gear ratios 6th	0,808
Gear ratios 7th	0,699
Gear ratios 8th	0,58
Gear ratios 9th	0,479
Reverse	3,805
TRACTION	
Traction system	Jeep Active Drive I
Final drive ratio	4,083
WEIGHT AND DIMENSIONS	
Towing capacity braked trailer (kg)	2370
Max. vertical load on coupling point (kg)	125
Base curb weight (kg)	min: 1952 kg / max: 2106 kg
Length (mm)	4623
Width (mm)	1859
Height (mm) at roof rails	1681
Wheelbase (mm)	2708
Track front (mm)	1593
Track rear (mm)	1603
Brakes - Vented front rotors (mm)	330 X 28

Brakes - Solid rear rotors (mm)	278 x 12
Steering ratio	15:1
Turning diameter (curb to curb) (m)	11,6
Steering turns (lock to lock)	2,56
Approach Angle (degrees)	18,9
Departure Angle (degrees)	25
Break Over Angle (degrees)	19,5
Ground clearance (mm)	201
Water fording (mm)	482,6 - 508 (@8 Km/h)
Cargo Volume up to tonneau cover - Seat full forward [l]	570
Cargo Volume up to tonneau cover - Seat design position [l]	448
Cargo Volume up to 2nd Row Seatback, - Seat full forward [l]	552
Cargo Volume up to 2nd Row Seatback - Seat design position [l]	437
EMISSION AND FUEL CONSUMPTION*	
Emission Class	Euro 6d-Temp
Emission CO ₂ (g/km) Combined	175
Fuel consumption (L/100km) Urban	7,7
Fuel consumption (L/100km) Extra urban	6
Fuel consumption (L/100km) Combined	6,6
PERFORMANCE	
Performance (0-100 Km/h) (sec)	8,8
Top Speed (km/h)	202

* CO₂ and fuel consumption values determined on the basis of the measurement/correlation method referring to the NEDC cycle as per Regulation (EU) 2017/1152-1153

The homologation values of CO₂ and fuel consumption may not reflect the actual values of CO₂ and fuel consumption, which depend on many factors related, by way of example but not limitation, to the driving style, the route, the weather and road conditions, as well as the condition, use and equipment of the vehicle.

The indicated value of CO₂ and fuel consumption refers to the versions of the vehicle with the highest and the lowest values. Those values may change with subsequent configuration depending on equipment selected and/or size of tires selected.

ENGINE	Cherokee – 2.2L 4WD AT 195 hp
Displacement (cm3)	2184
Bore & Stroke (mm)	83.8 x 99.0
Compression ratio	15,5:1
Configuration	L4
Valves	16
Power (KW @ rpm)	143@3500
Torque (Nm @rpm)	450@2000
Fuel type	DIESEL
Fuel Tank Capacity (l)	60
Urea tank capacity (l)	15,7
TRANSMISSION	
Gearbox	9-speed automatic transmission
Gear ratios 1st	4,700
Gear ratios 2nd	2,842
Gear ratios 3rd	1,909
Gear ratios 4th	1,382
Gear ratios 5th	1,000
Gear ratios 6th	0,808
Gear ratios 7th	0,699
Gear ratios 8th	0,580
Gear ratios 9th	0,479
Reverse	3,805
TRACTION	
Traction system	Jeep Active Drive II
Final drive ratio	4,088
Crawl ratio	56,0
WEIGHT AND DIMENSIONS	
Towing capacity braked trailer (kg)	2370
Max. vertical load on coupling point (kg)	125
Base curb Weight (kg)	min: 2013 kg / max: 2138 kg
Length (mm)	4623
Width (mm)	1859
Height (mm) at roof rails	1709
Wheelbase (mm)	2718
Track front (mm)	1593
Track rear (mm)	1593

Brakes - Vented front rotors (mm)	330 X 28
Brakes - Solid rear rotors (mm)	278 x 12
Steering ratio	15:1
Turning diameter (curb to curb) (m)	11,6
Steering turns (lock to lock)	2,56
Approach Angle (degrees)	21
Departure Angle (degrees)	27,3
Break Over Angle (degrees)	21,7
Ground clearance (mm)	208
Water fording (mm)	482,6 (@ 8 km/h)
Cargo Volume up to tonneau cover - Seat full forward [l]	570
Cargo Volume up to tonneau cover - Seat design position [l]	448
Cargo Volume up to 2nd Row Seatback, - Seat full forward [l]	552
Cargo Volume up to 2nd Row Seatback - Seat design position [l]	437
EMISSION AND FUEL CONSUMPTION*	
Emission Class	Euro 6d-Temp
Emission CO ₂ (g/km) Combined	179
Fuel consumption (L/100km) Urban	7,5
Fuel consumption (L/100km) Extra urban	6,4
Fuel consumption (L/100km) Combined	6,9
PERFORMANCE	
Performance (0-100 Km/h) (sec)	9,3
Top Speed (km/h)	200

* CO₂ and fuel consumption values determined on the basis of the measurement/correlation method referring to the NEDC cycle as per Regulation (EU) 2017/1152-1153

The homologation values of CO₂ and fuel consumption may not reflect the actual values of CO₂ and fuel consumption, which depend on many factors related, by way of example but not limitation, to the driving style, the route, the weather and road conditions, as well as the condition, use and equipment of the vehicle.

The indicated value of CO₂ and fuel consumption refers to the versions of the vehicle with the highest and the lowest values. Those values may change with subsequent configuration depending on equipment selected and/or size of tires selected.