



ALFA ROMEO MITO MULTIAIR TECHNICAL SPECIFICATIONS

SPECIFICATIONS	1.4 MultiAir TB 135hp	1.4 MultiAir TB ALFA TCT 135hp	1.4 MultiAir TB Cloverleaf 170hp
ENGINE			
Cylinder Arrangement	4 in line		
Bore x stroke (mm)	72 x 84		
Displacement (cc)	1368		
Compression ratio	9.8:1		
Max power HP @ RPM	135 @ 5,250	135 @ 5,250	170 @ 5,500
Peak Torque Nm @ RPM	206 @ 1,750	230 @ 1,750	250 @ 2,500
TRANSMISSION			
Drive / Gears	Front		
Number of gears	FWD / 5+R	FWD/6TCT+R	FWD / 6+R
STEERING SYSTEM			
Turning circle (m)	11.25		
SUSPENSION			
Front	MacPherson, front transverse trailing arms; anti-roll bar		
Rear	Torsion beam; slotted bushings; high-stiffness helical springs		
BRAKES			
Front Discs - ventilated Callipers	281 X 26 mm 57mm floating	281 X 26 mm 57 mm floating	305 x 28 mm Fixed aluminium 40mm pistons
Rear Disc - Solid	251 x 10mm, 38 mm floating calliper		
WEIGHTS - TANK CAPACITY			
Fuel tank (litres)	45		
Kerb weight (kg)	1135	1170	1145
PERFORMANCE			
Top speed km/h	208	208	219
0-100km/h(driver+30 kg)	8.4	8.2	7.5
FUEL CONSUMPTION - EMISSIONS*			
Urban (L/100 km)	7.4	7.3	8.1
Extra-urban (L/100 km)	4.5	4.5	4.8
Combined (L/100 km)	5.6	5.5	6.0
CO2 missions (g/km)	129	128	139
Emissions standard	EU V		
Seats	4 to 5		
Doors	3		
Length/width (mm)	4063/1720		
Height (mm)	1446		
Wheelbase (mm)	2511		
Front/rear track (mm)	1483/1475		
Boot capacity (dm3)	270		

* according to 1999/100EC directive