

	2.2 150 CV MT6	2.2 150 CV AT8	2.2 180 CV MT6	2.2 180 CV AT8	2.9 V6 BiTurbo MT6	2.9 V6 BiTurbo AT8
SPECIFICATIONS						Available after the launch
Fuel	Diesel	Diesel	Diesel	Diesel	Petrol	Petrol
No. of cylinders, layout	4 L	4 L	4 L	4 L	6 V	6 V
Bore x stroke (mm)	83 x 99	83 x 99	83 x 99	83 x 99	86.5 x 82	86.5 x 82
Displacement (cm ³)	2143	2143	2143	2143	2891	2891
Compression ratio	15.5:1	15.5:1	15.5:1	15.5:1	9.3:1	9.3:1
Max EC power: kW (HP-CE) @ rpm	110 (150) @ 4000	110 (150) @ 4000	132 (180) @ 3750	132 (180) @ 3750	375 (510) @ 6500	375 (510) @ 6500
Max EC torque: Nm (kgm-CE) @ rpm	380 (39) @ 1500	450 (46) @ 1750	380 (39) @ 1500	450 (46) @ 1750	600 (61) @ 2500	600 (61) @ 2.500
Timing (control)	Belt	Belt	Belt	Belt	Chain	Chain
Fuel feed	Electronic Injection	Electronic Injection	Electronic Injection	Electronic Injection	Electronic Injection	Electronic Injection
Stop&Start system	Standard equipment	Standard equipment	Standard equipment	Standard equipment	Standard equipment	Standard equipment
TRANSMISSION						
Drive	Rear	Rear	Rear	Rear	Rear	Rear
Gearbox	Manual 6- speed	Automatic 8-speed	Manual 6- speed	Automatic 8-speed	Manual 6- speed	Automatic 8-speed
First	4.002	5.000	4.002	5.000	4.055	5.000
Second	2.108	3.200	2.108	3.200	2.396	3.200
Third	1.395	2.143	1.395	2.143	1.582	2.143
Fourth	1.000	1.720	1.000	1.720	1.192	1.720
Fifth	0.780	1.314	0.780	1.314	1.000	1.314
Sixth	0.645	1.000	0.645	1.000	0.872	1.000

Seventh	-	0.822	-	0.822	-	0.822
Eighth	-	0.640	-	0.640	-	0.640
Reverse	3.647	3.456	3.647	3.456	3.678	3.478
Final drive torque	3.270	2.620	3.270	2.620	3.090	3.090
CAPACITIES - WEIGHTS						
Fuel tank (litres)	52	52	52	52	58	58
Kerb weight (kg)	1374	1445	1374	1445	1580	N/A*
Max. towable weight (kg) not braked	600	600	600	600	-	-
Max. towable weight (kg) braked	1600	1600	1600	1600	-	-
EXTERNAL DIMENSIONS						
Wheelbase (mm)	2820	2820	2820	2820	2820	2820
Length (mm)	4643	4643	4643	4643	4639	4639
Height (mm)	1436	1436	1436	1436	1426	1426
Front/rear track (mm)	1557/1625	1557/1625	1557/1625	1557/1625	1555/1607	1555/1607
Width	2024	2024	2024	2024	2024	2024
Front/rear overhang (mm)	795/1028	795/1028	795/1028	795/1028	795/1024	795/1024
PERFORMANCE						
Top speed (km/h)	220	220	230	230	307	307*
Acceleration 0 -100 km/h (secs)	8,4	8,2	7,2	7,1	3,9	3,9*
FUEL CONSUMPTION - EMISSIONS as per Directive 1999/100/EC						

Fuel consumption (l/100 km) urban cycle	5.3	5.3	5.3	5.3	12.8	12.4*
Fuel consumption (l/100 km) extra urban cycle	3.5	3.5	3.5	3.5	6.1	5.7*
Consumptions (l/100 km) combined cycle	4.2	4.2	4.2	4.2	8.5	8.2*
CO ₂ emissions (g/km) combined cycle	109	109	109	109	198	189*
Environmental classification	EURO 6b	EURO 6b	EURO 6b	EURO 6b	EURO 6b	EURO 6b

*data referred to type-approval currently underway and subject to changes.