ENGINE	Cherokee – 2.0L GME AT AWD 272
Displacement (cm3)	1994
Bore & Stroke (mm)	84,0 x 90,0
Compression ratio	10:01
Configuration	L4
Valves	16
Power (KW @ rpm)	200 @ 5250rpm
Torque (Nm @rpm)	400 @ 3000 - 4500 rpm
Fuel type	PETROL
Fuel Tank Capacity (kg)	60
TRANSMISSION	·
Gearbox	9-speed automatic transmission
Gear ratios 1st	4,700
Gear ratios 2nd	2,842
Gear ratios 3rd	1,909
Gear ratios 4th	1,382
Gear ratios 5th	1,000
Gear ratios 6th	0,808
Gear ratios 7th	0,699
Gear ratios 8th	0,580
Gear ratios 9th	0,479
Reverse	3,805
TRACTION	
Traction system	Jeep Active Drive I
Final Drive Ratio	3,734
Crawl ratio	-
WEIGHT AND DIMENSIONS	
Towing capacity braked trailer (kg)	1710
Max. vertical load on coupling point (kg)	90
Gross Vehicle Weight (kg)	2453
Lenght (mm)	4623
Width (mm)	1859
Height (m) at roof rails	1681
Wheelbase (mm)	2708
Track front (mm)	1593

Track rear (mm)	1603
Brakes - Vented front rotors (mm)	330 X 28
Brakes - Solid rear rotors (mm)	278 x 12
Steering ratio	15:1
Turning diameter (curb to curb) (m)	11,6
Steering turns (lock to lock)	2,56
Approach Angle (degrees)	18,9
Departure Angle (degrees)	25
Break Over Angle (degrees)	19,5
Ground clearance (mm)	201
Water fording (mm)	482,6 - 508
Cargo Volume up to tonneau cover - Seat full forward [I]	570
Cargo Volume up to tonneau cover - Seat design position [I]	448
Cargo Volume up to 2nd Row Seatback, - Seat full forward [I]	552
Cargo Volume up to 2nd Row Seatback - Seat design position [I]	437
EMISSION AND FUEL CONSUMPTION*	
Emission Class	Euro 6d
Emission CO <sub>2</sub> (g/km) Combined	207
Fuel consumption (L/100km) Urban	12
Fuel consumption (L/100km) Extra urban	7,2
Fuel consumption (L/100km) Combined	9
PERFORMANCE	
Performance (0-100 Km/h) (sec)	7,2
Top Speed (km/h)	206

<sup>\*</sup>CO2 emissions and fuel consumption values were determined using the measurement/correlation method for the NEDC homologation cycle as per Regulation (EU) 2017/1152-1153.

These figures are based on the latest information available at the time of publication and may vary in response to changes in the production cycle. Please refer to your official FCA dealership for the latest figures.

	Cherokee – 2.0L GME AT 4WD 272
ENGINE	hp
Displacement (cm3)	1994
Bore & Stroke (mm)	84,0 x 90,0
Compression ratio	10:01
Configuration	L4
Valves	16
Power (KW @ rpm)	200 @ 5250rpm
Torque (Nm @rpm)	400 @ 3000 - 4500 rpm
Fuel type	PETROL
Fuel Tank Capacity (kg)	60
TRANSMISSION	
Gearbox	9-speed automatic transmission
Gear ratios 1st	4,700
Gear ratios 2nd	2,842
Gear ratios 3rd	1,909
Gear ratios 4th	1,382
Gear ratios 5th	1,000
Gear ratios 6th	0,808
Gear ratios 7th	0,699
Gear ratios 8th	0,580
Gear ratios 9th	0,479
Reverse	3,805
TRACTION	
Traction system	Jeep Active Drive II
Final Drive Ratio	3,734
Crawl ratio	51,3
WEIGHT AND DIMENSIONS	
Towing capacity braked trailer (kg)	1710
Max. vertical load on coupling point (kg)	90
Gross Vehicle Weight (kg)	2453
Lenght (mm)	4623
Width (mm)	1859
Height (m) at roof rails	1709
Wheelbase (mm)	2718
Track front (mm)	1593

	T
Track rear (mm)	1593
Brakes - Vented front rotors (mm)	330 X 28
Brakes - Solid rear rotors (mm)	278 x 12
Steering ratio	15:1
Turning diameter (curb to curb) (m)	11,6
Steering turns (lock to lock)	2,56
Approach Angle (degrees)	21
Departure Angle (degrees)	27,3
Break Over Angle (degrees)	21,7
Ground clearance (mm)	208
Water fording (mm)	482,6 - 508
Cargo Volume up to tonneau cover - Seat full forward [I]	570
Cargo Volume up to tonneau cover - Seat design position [I]	448
Cargo Volume up to 2nd Row Seatback, - Seat full forward [I]	552
Cargo Volume up to 2nd Row Seatback - Seat design position [I]	437
EMISSION AND FUEL CONSUMPTION*	
Emission Class	Euro 6d
Emission CO <sub>2</sub> (g/km) Combined	208
Fuel consumption (L/100km) Urban	12
Fuel consumption (L/100km) Extra urban	7,3
Fuel consumption (L/100km) Combined	9,1
PERFORMANCE	
Performance (0-100 Km/h) (sec)	7,3
Top Speed (km/h)	206

<sup>\*</sup>CO2 emissions and fuel consumption values were determined using the measurement/correlation method for the NEDC homologation cycle as per Regulation (EU) 2017/1152-1153.

These figures are based on the latest information available at the time of publication and may vary in response to changes in the production cycle. Please refer to your official FCA dealership for the latest figures.

ENGINE	Cherokee – 2.0L GME AT 4WD LOCK 272 hp
Displacement (cm3)	1994
Bore & Stroke (mm)	84,0 x 90,0
Compression ratio	10:01
Configuration	L4
Valves	16
Power (KW @ rpm)	200 @ 5250rpm
Torque (Nm @rpm)	400 @ 3000 - 4500 rpm
Fuel type	PETROL
Fuel Tank Capacity (kg)	60
TRANSMISSION	·
Gearbox	9-speed automatic transmission
Gear ratios 1st	4,700
Gear ratios 2nd	2,842
Gear ratios 3rd	1,909
Gear ratios 4th	1,382
Gear ratios 5th	1,000
Gear ratios 6th	0,808
Gear ratios 7th	0,699
Gear ratios 8th	0,580
Gear ratios 9th	0,479
Reverse	3,805
TRACTION	
Traction system	Jeep Active Drive Lock
Final Drive Ratio	3,734
Crawl ratio	51,3
WEIGHT AND DIMENSIONS	
Towing capacity braked trailer (kg)	1710
Max. vertical load on coupling point (kg)	90
Gross Vehicle Weight (kg)	2494
Lenght (mm)	4623
Width (mm)	1902
Height (m) at roof rails	1722
Wheelbase (mm)	2720
Track front (mm)	1615

Track rear (mm)	1613
Brakes - Vented front rotors (mm)	330 X 28
Brakes - Solid rear rotors (mm)	278 x 12
Steering ratio	15:3
Turning diameter (curb to curb) (m)	12
Steering turns (lock to lock)	2,67
Approach Angle (degrees)	29,9
Departure Angle (degrees)	32,2
Break Over Angle (degrees)	22,9
Ground clearance (mm)	221
Water fording (mm)	508
Cargo Volume up to tonneau cover - Seat full forward [I]	570
Cargo Volume up to tonneau cover - Seat design position [I]	448
Cargo Volume up to 2nd Row Seatback, - Seat full forward [I]	552
Cargo Volume up to 2nd Row Seatback - Seat design position [I]	437
EMISSION AND FUEL CONSUMPTION*	
Emission Class	Euro 6d
Emission CO <sub>2</sub> (g/km) Combined	215
Fuel consumption (L/100km) Urban	12,3
Fuel consumption (L/100km) Extra urban	7,6
Fuel consumption (L/100km) Combined	9,4
PERFORMANCE	
Performance (0-100 Km/h) (sec)	7,6
Top Speed (km/h)	177

<sup>\*</sup>CO2 emissions and fuel consumption values were determined using the measurement/correlation method for the NEDC homologation cycle as per Regulation (EU) 2017/1152-1153.

These figures are based on the latest information available at the time of publication and may vary in response to changes in the production cycle. Please refer to your official FCA dealership for the latest figures.