PUNTO

FIAT

	POP	EASY - RACING			TWINAIR	LOUNGE - SPORT	EASY - RACING	LOUNGE - SPORT	TWINAIR
Seat upholstery	Jeans▲	Denim extra with electrically welded insert			Sportex Fabric	Castiglio Black	Leather*	Leather*	Leather*
Trim colour	Grey	Grey Red	Grey Blue	Grey Light grey	Black/Grey	Black	Black	Black	Black
Dashboard fascia	Grey	Black	Black	Black	Black	Black	Black	Black	Black
Interiors code	102	221	204	265	218	341	404	430	404
PASTEL COLOURS									
296 Ambient White	◢	◢	◢	◢	◢	◢	◢	◢	◢
475 Rock'n'Roll Blue		◢	◢	◢	◢	◢	◢	◢	◢
176 Exotica Red (non-standard)				◢	◢	◢	◢	◢	◢
METALLIC COLOURS									
760 Easy Listening White		◢	◢	◢	◢	◢	◢	◢	◢
348 Tech House Grey	◢	◢	◢	◢	◢	◢	◢	◢	◢
595 Chemical Grey		◢	◢	◢	◢	◢	◢	◢	◢
679 Blues Grey	◢	◢	◢	◢	◢	◢	◢	◢	◢
750 Progressive Black		◢		◢	◢	◢	◢	◢	◢
876 Crossover Black	◢	◢	◢	◢	◢	◢	◢	◢	◢
866 Tip Tap Red	◢	◢		◢	◢	◢	◢	◢	◢
326 Glam Rock Blue				◢	◢	◢	◢	◢	◢
494 Acid Jazz Blue			◢	◢	◢	◢	◢	◢	◢
341 Energetico Green					◢				◢

▲ With ruby red coloured stitching on backrest * Optional available at extra charge

TECHNICAL SPECIFICATIONS

	POP - EASY LOUNGE	POP - EASY LOUNGE RACING	TWINAIR	EASY - LOUNGE SPORT	LOUNGE - SPORT	POP - EASY - LOUNGE RACING	POP - EASY - LOUNGE	EASY - LOUNGE SPORT	POP - EASY LOUNGE		POP - EASY LOUNGE	
	1.2 69 HP PETROL	1.2 69 HP PETROL	0.9 TWINAIR TURBO 85 HP PETROL S&S	1.4 MULTIAIR 105 HP PETROL S&S	1.4 MULTIAIR TURBO 135 HP PETROL S&S	1.3 MULTIJET 75 HP DPF DIESEL	1.3 MULTIJET 85 HP DPF DIESEL S&S	1.3 MULTIJET 95 HP DPF DIESEL S&S	1.4 NATURALPOWER 77 / 70 HP		1.4 EASYPOWER 77 HP	
									PETROL	METHANE	PETROL	LPG
ENGINE												
Number of cylinders, layout	4, in line	4, in line	2, straight	4, in line	4, in line	4, in line	4, in line	4, in line	4, in line		4, in line	
Bore x stroke (mm)	70.8 x 78.9	72 x 84	80.5 x 86	72 x 84	72 x 84	69.6 X 82	69.6 X 82	69.6 X 82	72 X 84		72 X 84	
Displacement (cm3)	1242	1368	875	1368	1368	1248	1248	1248	1368		1368	
Emissions level	E5	E5	E5	E5	E5	E5	E5	E5	E5		E5	
Compression ratio	11.1: 1	11.1: 1	10: 1	10.8: 1	9.8: 1	16.8: 1	16.8: 1	16.8: 1	11.1: 1		11.1: 1	
Max power output kW (HP) at rpm	51 (69) 5500	57 (77) 6000	62 (85) 5500	77 (105) 6500	99 (135) 5000	55 (75) 4000	62 (85) 3500	70 (95) 4000	57 (77) 6000	51 (70) 6000	57 (77) 6000	
Peak torque Nm (kgm) at rpm	102 (10.4) 3000	115 (11.7) 3250	145 (14.8) 2000	130 (13.2) 4000	206 (21) 1750	190 (19.4) 1500	200 (20.4) 1500	200 (20.4) 1500	115 (11.7) 3000	104 (10.6) 3000	115 (11.7) 3250	
Timing system	toothed belt	toothed belt	chain	toothed belt	toothed belt	chain	chain	chain	toothed belt		toothed belt	
Fuel	Multipoint sequential phased electronic injection, returnless system	Multipoint sequential phased electronic injection, returnless system	Electronically controlled phased sequential Multipoint electronic injection with turbo and intercooler	Multipoint sequential phased electronic injection, returnless system	Electronically controlled phased sequential Multipoint electronic injection with turbo and intercooler	Common rail MultiJet direct injection with fixed geometry turbocharger and intercooler	Common rail MultiJet direct injection with variable geometry turbocharger and intercooler	Common rail MultiJet direct injection with variable geometry turbocharger and intercooler	Multipoint sequential phased electronic injection, returnless system		Multipoint sequential phased electronic injection, returnless system	
Ignition	Digital electronic static	Digital electronic static	Digital electronic static	Digital electronic static	Digital electronic static	compression	compression	compression	electronic static, integrated with injection		digital electronic static	
TRANSMISSION												
Drive	front	front	front	front	front	front	front	front	front		front	
Clutch	hydraulic	hydraulic	hydraulic	hydraulic	hydraulic	hydraulic	hydraulic	hydraulic	hydraulic		hydraulic	
Gearbox, no. of gears	5 gears + reverse	5 gears + reverse	6 gears + reverse	6 gears + reverse	5 gears + reverse	5 gears + reverse	5 gears + reverse	5 gears + reverse	5 gears + reverse		5 gears + reverse	
STEERING SYSTEM												
Rack and pinion	power assisted electro-hydraulic rack	power assisted electro-hydraulic rack	power assisted electro-hydraulic rack	power assisted electro-hydraulic rack	power assisted electro-hydraulic rack	power assisted electro-hydraulic rack	power assisted electro-hydraulic rack	power assisted electro-hydraulic rack	power assisted electro-hydraulic rack		power assisted electro-hydraulic rack	
Turning circle (m)	10.9	10.9	10.9	10.9	10.9	10.9	10.9	10.9	10.9		10.9	
BRAKES - D (disc) - T (drum)												
Front: Ø mm	self-ventilated disc (257)	self-ventilated disc (257)	self-ventilated disc (257)	self-ventilated disc (257)	self-ventilated disc (284)	self-ventilated disc (257)	self-ventilated disc (284)	self-ventilated disc (284)	self-ventilated disc (257)		self-ventilated disc (257)	
Rear: Ø mm	drum (203)	drum (228)	drum (228)	drum (228)	disc (264)	Drum (228)	Drum (228)	Drum (228)	disc (264)		drum (228)	
SUSPENSION												
Front	MacPherson independent wheels	MacPherson independent wheels	MacPherson independent wheels	MacPherson independent wheels	MacPherson independent wheels	MacPherson independent wheels	MacPherson independent wheels	MacPherson independent wheels	MacPherson independent wheels		MacPherson independent wheels	
Rear	torsion beam	torsion beam	torsion beam	torsion beam	torsion beam	torsion beam	torsion beam	torsion beam	torsion beam		torsion beam	
DIMENSIONS												
Wheelbase (mm)	2510	2510	2510	2510	2510	2510	2510	2510	2510		2510	
Front / rear track (mm)	1473 / 1466	1473 / 1466	1473 / 1466	1473 / 1466	1473 / 1466	1473 / 1466	1473 / 1466	1473 / 1466	1473 / 1466		1473 / 1466	
Length (mm)	4065	4065	4065	4065	4065	4065	4065	4065	4065		4065	
Width (mm)	1687	1687	1687	1687	1687	1687	1687	1687	1687		1687	
Height in running order (mm)	1490	1490	1490	1490	1490	1490	1490	1490	1514		1490	
Min/max VDA boot capacity (dm3)	275 / 1030	275 / 1030	275 / 1030	275 / 1030	275 / 1030	275 / 1030	275 / 1030	275 / 1030	200 / 950		252 / 1010	
WEIGHT - CAPACITIES												
DIN kerb weight 3/5d (kg)	1015 / 1030	1025 / 1040	1075 / 1090	1060 / 1075	1155 / 1170	1090 / 1105	1130 / 1145	1130 / 1145	1170 / 1185		1025 / 1040	
Towable weight not braked / braked (kg)	400 / 900	400 / 1000	400 / 1000	400 / 1000	400 / 1000	400 / 1000	400 / 1000	400 / 1000	vehicle not suitable for towing		400 / 500	
Fuel tank capacity (litres)	45	45	45	45	45	45	45	45	13		38	
PERFORMANCE												
Max speed (km/h)	156	165	172	185	200 Lounge / 205 Sport	165	172	178	162	156	165	
Acceleration (sec.): 0-100 km/h	14.4	13.2	12.7	10.8	8.5	13.6	13.1	11.7	14.9	16.9	13.2	
CONSUMPTION AND EMISSIONS**												
Urban cycle (l/100 km)	7.2	7.4	4.9	7.4	7.3	5.5	4.4	5.3	7.9	5.4 (*)	7.3	9.0
Extra-urban cycle (l/100 km)	4.4	4.7	3.8	4.7	4.6	3.5	2.9	3.5	5.4	3.5 (*)	4.8	5,9
Combined (l/100 km)	5.4	5.7	4.2	5.7	5.6	4.2	3.5	4.2	6.3	4.2 (*)	5.7	7.0
Combined CO_2 emissions (g/km)	126	132	98	133	129	112	90	110	149	115	133	114

* kg/100 km ** (2004/3/CE directive)

STANDARD AND OPTIONAL EQUIPMENT

		POP	EASY	LOUNGE	RACING	SPORT	TWINAIR
LINE AND STYLE							
Ambient light dashboard and front panel		–	–	■	–	■	–
Kick plate with aluminium insert and Punto logo	018	–	○	■	○	■	○
White door mirror covers	5J8	–	○	○	○	○	○
Chrome-plated door mirror covers	4YD	–	○	○	○	○	○
–Black door mirror covers	5J9	–	○	○	○	○	■
15" alloy wheels	108	○	■	○	–	–	–
15" burnished alloy wheels	208	○	○	■	■	–	–
TwinAir 15" alloy wheels	421	–	–	–	–	–	■
16" alloy wheels with 195/55 R16 tyres	439	–	○ (1)	○ (1)	–	–	○
16" alloy wheels with 195/55 R16 tyres	4AY	–	○ (1)	○ (1)	–	–	○
17" burnished alloy wheels with 205/45 R18 tyres	434	–	○ (2)	○ (2)	–	■	○
17" chrome-plated alloy wheels with 205/45 R19 tyres	435	–	○ (2)	○ (2)	–	–	○
17" diamond-finish alloy wheels with 205/45 R17 tyres	433	–	○ (2)	○ (2)	–	–	○
Burnished hub caps	878	○	–	–	–	–	–
Tinted rear and rear door windows	070	–	○	○	■	■	○
Side protective fascia in matching body colour	4M5	○	○	○	○	○	○
TwinAir logo inside and outside		–	–	–	–	–	■
Exterior door handles in matching body colour	61A	○	■	■	■	■	■
Side skirts in matching body colour	926	–	○	○	■	■	○
Glossy black pillars		–	–	■	–	■	■
Red brake calipers	4SU	–	–	○ (3)	–	○ (3)	–
Burnished headlights and sporty light clusters		–	■	■	■	■	■
Leather upholstery	212	–	○	○	○	○	○
Mats	396	–	○	○	○	○	○
Door mirrors in matching body colour		■	■	–	■	–	–
Door mirrors in matching body colour with demister and external temperature sensor	041	○ (4)	○ (4)	■	○ (4)	■	■
Rear spoiler in matching body colour	923	–	○	○	■	■	○
Leather covered steering wheel and gear knob	320	○	○	■	■	■	○
CUSTOMISATIONS							
16" burnished alloy wheels with diamond finish	50902778	–	△	△	△	△	△
16" white alloy wheels with diamond finish	50902779	–	△	△	△	△	△
17" alloy wheels (*)	50901339	–	△	△	△	△	△
17" burnished alloy wheels (*)	50902243	–	△	△	△	△	△
Carbon door mirror covers		△	△	△	△	△	△
Chequered door mirror covers		△	△	△	△	△	△
White door mirror covers		△	△	△	△	△	△
Chrome-plated door mirror covers		△	△	△	△	△	△
Glossy black door mirror covers		△	△	△	△	△	△
Pearl White customised key cover		△	△	△	△	△	△
Silver Grey matte customised key cover		△	△	△	△	△	△

■ = standard ○ = optional – = not available △ = Lineaccessori

(1) Excluding 1.2 69 HP and 1.3 MultiJet II 85 HP
(2) Excluding 1.2 69 HP, 1.3 MultiJet II 85 HP, EasyPower and Naturalpower
(3) Only on 1.4 MultiAir Turbo 135 HP
(4) Standard on 1.4 77 HP Dualogic™ and 1.4 MultiAir 105 HP
(*) According to engine version (excluding TwinAir)

		POP	EASY	LOUNGE	RACING	SPORT	TWINAIR
CUSTOMISATIONS							
Titanium Grey matte customised key cover		△	△	△	△	△	△
Exotica Red Cover customised key cover		△	△	△	△	△	△
Glossy black customised key cover		△	△	△	△	△	△
Stars customised key cover		△	△	△	△	△	△
Italy customised key cover		△	△	△	△	△	△
Squares customised key cover		△	△	△	△	△	△
Racing Track customised key cover		△	△	△	△	△	△
Arrows customised key cover		△	△	△	△	△	△
Circles customised key cover		△	△	△	△	△	△
Chrome-plated tailpipe		△	△	△	△	△	△
Twin chrome-plated tailpipe		△	△	△	△	△	△
Aluminium sports pedal unit		△	△	△	△	△	△
COMFORT / FUNCTIONALITY							
Electric front windows		■	■	■	■	■	■
Rear electric windows with anti-pinch sensors (5 door versions)	023	–	○	■	○	■	○
Anti-whiplash front seat headrests	42F	–	○	○	○	○	○
Sports setup	6L2	–	○ (5)	○ (5)	■	■	○
Electric door locking		■	■	■	■	■	■
Front armrest with storage compartment	132	–	○	■	○	■	○
6-speed gearbox (manual)		–	– / ■ (6)	– / ■ (6)	– / ■ (6)	– / ■ (6)	■
Dualogic™ (Manual Automatic Transmission) manual robotised Selespeed gearbox with selectable automatic function		– / ■ (7)	– / ■ (7)	– / ■ (7)	– / ■ (7)	–	–
Climate control system with automatic dual-zone activation and adjustment	140	–	○	■	○	■	○
Climate control system with manual activation and adjustment, pollen filter and pipes	025	○	■	–	■	–	■
Cruise Control	416	–	○	○	○	○	○
Smokers' kit	989	○	○	○	○	○	○
12 V power socket in boot	823	–	○	○	○	○	○
Driver's seat with manual height adjustment		■	■	■	■	■	■
Driver's seat with electric lumbar adjustment	623	–	○	○	○	○	○
3 place rear seat		■	■	■	■	■	■
40/60 split rear seat with fabric upholstered seat back, three places with third seat belt reel, two head restraints and Isofix attachments	195	○	○	■	○	■	○
Heated front seats with activation command installed on central unit	452	○	○	○	○	○	○
Rear parking sensors	508	–	○	○	○	○	○
Dualdrive™ electric power steering with selection control inserted on upper central trim		■	■	■	■	■	■
Start&Stop		■ (8)	■ (8)	■ (8)	■ (8)	■ (8)	■
"Ciao Fiat" service plate		■	■	■	■	■	■
Remote door locking/unlocking	008	○	■	■	■	■	■
Height and reach-adjustable steering wheel		■	■	■	■	■	■

■ = standard ○ = optional – = not available △ = Lineaccessori

(5) Not available on 1.2 69 HP, EasyPower and Naturalpower
(6) Only on 1.4 MultiAir 105 HP
(7) Only on 1.4 77 HP Dualogic™ versions
(8) Optional on 1.2 69 HP and on 1.3 MultiJet 75 HP; not available on EasyPower and Naturalpower

		POP	EASY	LOUNGE	RACING	SPORT	TWINAIR
SAFETY							
Third rear head restraint	511	○	○	○	○	○	○
ABS		■	■	■	■	■	■
Front side bags	505	○	○	○	○	○	○
Driver's knee bag	150	–	○	○	○	○	○
Driver airbag		■	■	■	■	■	■
Head protection side airbags - Window bag		■	■	■	■	■	■
Passenger airbag		■	■	■	■	■	■
Anti-whiplash front seat headrests	42F	–	○	○	○	○	○
Height-adjustable rear head-restraints (two)		■	■	■	■	■	■
Lockable fuel filler cap		■	■	■	■	■	■
Dynamic stability control system (VDC) ESP with ASR (disconnectable), MSR, Hill Holder		■	■	■	■	■	■
Headlight alignment corrector		■	■	■	■	■	■
Fog light with cornering function	097	○	○	■	○	■	○
Tyre inflation/repair kit (FIX&GO)		■	■	■	■	■	■
Heated rear window		■	■	■	■	■	■
Anti-theft alarm setup	388	–	○	○	○	○	○
Regular size spare wheel with 175/65 R15 tyre	980	○ [9]	○ [10]	– / ○ [11]	○	–	–
Regular size steel spare wheel with 185/65 R15 tyre	5IY	○	○ [12]	○ [12]	○	○	○
Steel space-saver spare wheel with 175/65 R15 tyre and 80 km/h max speed sticker	4UE	○	○ [12]	○ [12]	○	○	○
Rain sensor (includes comfort instrument and external rear-view mirror with probe for external temperature detection)	347	–	–	○	–	○	–
Electro-chromic interior rear-view mirror	410	–	–	○	–	○	–
Rear window wiper		■	■	■	■	■	■
Electric sunroof - Skydome	400	–	○	■	○	■	○
TPMS (Tyre Pressure Monitoring System)	365	–	–	– / ○ [13]	–	○	–
AUDIO / INFOTAINMENT							
CD MP3 radio with radio controls on the steering wheel (6 buttons) basic system: 4 speakers + 2 tweeters + aerial	41A	○	■	■	■	■	■
Blue&Me™: system with Bluetooth®, technology for hands-free use, steering wheel commands, instrument panel with multifunction display, MP3 player with USB port and AUX-IN socket, SMS reader	65W	–	○	○	○	○	○
Blue&Me™: system with Bluetooth®, technology for hands-free use, steering wheel commands, instrument panel with multifunction display, MP3 player with USB port, SMS reader	4J3	○	–	–	–	–	–
PND set-up for portable navigator - TomTom	68R	–	○	○	○	○	○
Radio set-up: basic audio system with four speakers + two tweeters with wiring and aerial positioned on rear part of roof	082	S	–	–	–	–	–
Comfort panel	4RQ	○ [14]	■	■	■	■	■
Hi-Fi audio interscope sound system (four speakers + 2 tweeters + amplifier + subwoofer)	4JF	–	○ [15]	○ [15]	○ [15]	■	O
Software in Italian for Bluetooth® hands-free system	4FT	○	○	○	○	○	○
Instrument panel with multifunction display	710	–	–	○ [16]	–	○ [16]	–
Trip computer		■	■	■	■	■	■

■ = standard ○ = optional – = not available △ = Lineaccessori

[9] Excluding 1.3 MultiJet II 75 HP, EasyPower and Naturalpower
[10] Excluding 1.4 MultiAir 105 HP, 1.3 MultiJet II 85 HP and 95 HP, EasyPower and Naturalpower
[11] Only on 1.2 69 HP, 1.4 77 HP, 1.3 MultiJet II 75 HP
[12] Excluding EasyPower and Naturalpower
[13] Only on 1.4 MultiAir 105 HP and 135 HP
[14] Standard on 1.4 77 HP versions with Dualogic™
[15] Not available on 1.4 77 HP with Dualogic™
[16] Only on 1.4 MultiAir 135 HP