| ENGINE                                    | Cherokee – 2.2L FWD AT 195 hp  |
|---|--------------------------------|
| Displacement (cm3)                        | 2174                           |
| Bore & Stroke (mm)                        | 83.8 x 99.0                    |
| Compression ratio                         | 15,5:1                         |
| Configuration                             | L4                             |
| Valves                                    | 16                             |
| Power (KW @ rpm)                          | 143@3500                       |
| Torque (Nm @rpm)                          | 450@2000                       |
| Fuel type                                 | DIESEL                         |
| Fuel Tank Capacity (I)                    | 60                             |
| Urea tank capacity (I)                    | 15,7                           |
| TRANSMISSION                              |                                |
| Gearbox                                   | 9-speed automatic transmission |
| Gear ratios 1st                           | 4,700                          |
| Gear ratios 2nd                           | 2,842                          |
| Gear ratios 3rd                           | 1,909                          |
| Gear ratios 4th                           | 1,382                          |
| Gear ratios 5th                           | 1,000                          |
| Gear ratios 6th                           | 0,808                          |
| Gear ratios 7th                           | 0,699                          |
| Gear ratios 8th                           | 0,58                           |
| Gear ratios 9th                           | 0,479                          |
| Reverse                                   | 3,805                          |
| TRACTION                                  | ·                              |
| Traction system                           | Front Wheel Drive              |
| Final drive ratio                         | 4,083                          |
| WEIGHT AND DIMENSIONS                     |                                |
| Towing capacity braked trailer (kg)       | 2370                           |
| Max. vertical load on coupling point (kg) | 125                            |
| Gross Vehicle Weight (kg)                 | 2290                           |
| Length (mm)                               | 4623                           |
| Width (mm)                                | 1859                           |
| Height (mm) at roof rails                 | 1669                           |
| Wheelbase (mm)                            | 2705                           |
| Track front (mm)                          | 1593                           |
| Track rear (mm)                           | 1603                           |
| Brakes - Vented front rotors (mm)         | 330 X 28                       |

| Brakes - Solid rear rotors (mm)                                | 278 x 12     |  |
|--|--------------|--|
| Steering ratio   | 15:1         |  |
| Turning diameter (curb to curb) (m)                            | 11,6         |  |
| Steering turns (lock to lock)                                  | 2,56         |  |
| Approach Angle (degrees)                                       | 16,7         |  |
| Departure Angle (degrees)                                      | 24,6         |  |
| Break Over Angle (degrees)                                     | 17,7         |  |
| Ground clearance (mm)  | 150          |  |
| Water fording (mm)   | 406,4        |  |
| Cargo Volume up to tonneau cover - Seat full forward [I]       | 570          |  |
| Cargo Volume up to tonneau cover - Seat design position [I]    | 448          |  |
| Cargo Volume up to 2nd Row Seatback, - Seat full forward [I]   | 552          |  |
| Cargo Volume up to 2nd Row Seatback - Seat design position [I] | 437          |  |
| EMISSION AND FUEL CONSUMPTION*                                 |              |  |
| Emission Class   | Euro 6d-Temp |  |
| Emission CO <sub>2</sub> (g/km) Combined                       | 161          |  |
| Fuel consumption (L/100km) Urban                               | 7,2          |  |
| Fuel consumption (L/100km) Extra urban                         | 5,4          |  |
| Fuel consumption (L/100km) Combined                            | 6,1          |  |
| PERFORMANCE  |              |  |
| Performance (0-100 Km/h) (sec)                                 | 9,1          |  |
| Top Speed (km/h)   | 205          |  |

The homologation values of CO2 and fuel consumption may not reflect the actual values of CO2 and fuel consumption, which depend on many factors related, by way of example but not limitation, to the driving style, the route, the weather and road conditions, as well as the condition, use and equipment of the vehicle.

The indicated value of CO2 and fuel consumption refers to the versions of the vehicle with the highest and the lowest values. Those values may change with subsequent configuration depending on equipment selected and/or size of tires selected.

<sup>\*</sup> CO2 and fuel consumption values determined on the basis of the measurement/correlation method referring to the NEDC cycle as per Regulation (EU) 2017/1152-1153

| ENGINE                                    | Cherokee – 2.2L AWD AT 195 hp  |
|---|--------------------------------|
| Displacement (cm3)                        | 2174                           |
| Bore & Stroke (mm)                        | 83.8 x 99.0                    |
| Compression ratio                         | 15,5:1                         |
| Configuration                             | L4                             |
| Valves                                    | 16                             |
| Power (KW @ rpm)                          | 143@3500                       |
| Torque (Nm @rpm)                          | 450@2000                       |
| Fuel type                                 | DIESEL                         |
| Fuel Tank Capacity (I)                    | 60                             |
| Urea tank capacity (I)                    | 15,7                           |
| TRANSMISSION                              |                                |
| Gearbox                                   | 9-speed automatic transmission |
| Gear ratios 1st                           | 4,700                          |
| Gear ratios 2nd                           | 2,842                          |
| Gear ratios 3rd                           | 1,909                          |
| Gear ratios 4th                           | 1,382                          |
| Gear ratios 5th                           | 1,000                          |
| Gear ratios 6th                           | 0,808                          |
| Gear ratios 7th                           | 0,699                          |
| Gear ratios 8th                           | 0,58                           |
| Gear ratios 9th                           | 0,479                          |
| Reverse                                   | 3,805                          |
| TRACTION                                  |                                |
| Traction system                           | Jeep Active Drive I            |
| Final drive ratio                         | 4,083                          |
| WEIGHT AND DIMENSIONS                     |                                |
| Towing capacity braked trailer (kg)       | 2370                           |
| Max. vertical load on coupling point (kg) | 125                            |
| Gross Vehicle Weight (kg)                 | 2494                           |
| Length (mm)                               | 4623                           |
| Width (mm)                                | 1859                           |
| Height (mm) at roof rails                 | 1681                           |
| Wheelbase (mm)                            | 2708                           |
| Track front (mm)                          | 1593                           |
| Track rear (mm)                           | 1603                           |
| Brakes - Vented front rotors (mm)         | 330 X 28                       |

| Brakes - Solid rear rotors (mm)                                | 278 x 12              |
|--|-----------------------|
| Steering ratio   | 15:1                  |
| Turning diameter (curb to curb) (m)                            | 11,6                  |
| Steering turns (lock to lock)                                  | 2,56                  |
| Approach Angle (degrees)                                       | 18,9                  |
| Departure Angle (degrees)                                      | 25                    |
| Break Over Angle (degrees)                                     | 19,5                  |
| Ground clearance (mm)  | 201                   |
| Water fording (mm)   | 482,6 - 508 (@8 Km/h) |
| Cargo Volume up to tonneau cover - Seat full forward [l]       | 570                   |
| Cargo Volume up to tonneau cover - Seat design position [I]    | 448                   |
| Cargo Volume up to 2nd Row Seatback, - Seat full forward [I]   | 552                   |
| Cargo Volume up to 2nd Row Seatback - Seat design position [I] | 437                   |
| EMISSION AND FUEL CONSUMPTION*                                 |                       |
| Emission Class   | Euro 6d-Temp          |
| Emission CO₂ (g/km) Combined                                   | 175                   |
| Fuel consumption (L/100km) Urban                               | 7,7                   |
| Fuel consumption (L/100km) Extra urban                         | 6                     |
| Fuel consumption (L/100km) Combined                            | 6,6                   |
| PERFORMANCE  |                       |
| Performance (0-100 Km/h) (sec)                                 | 8,8                   |
| Top Speed (km/h)   | 202                   |

<sup>\*</sup> CO2 and fuel consumption values determined on the basis of the measurement/correlation method referring to the NEDC cycle as per Regulation (EU) 2017/1152-1153

The homologation values of CO2 and fuel consumption may not reflect the actual values of CO2 and fuel consumption, which depend on many factors related, by way of example but not limitation, to the driving style, the route, the weather and road conditions, as well as the condition, use and equipment of the vehicle.

The indicated value of CO2 and fuel consumption refers to the versions of the vehicle with the highest and the lowest values. Those values may change with subsequent configuration depending on equipment selected and/or size of tires selected.

| ENGINE                                    | Cherokee – 2.2L 4WD AT 195 hp  |
|---|--------------------------------|
| Displacement (cm3)                        | 2174                           |
| Bore & Stroke (mm)                        | 83.8 x 99.0                    |
| Compression ratio                         | 15,5:1                         |
| Configuration                             | L4                             |
| Valves                                    | 16                             |
| Power (KW @ rpm)                          | 143@3500                       |
| Torque (Nm @rpm)                          | 450@2000                       |
| Fuel type                                 | DIESEL                         |
| Fuel Tank Capacity (I)                    | 60                             |
| Urea tank capacity (I)                    | 15,7                           |
| TRANSMISSION                              |                                |
| Gearbox                                   | 9-speed automatic transmission |
| Gear ratios 1st                           | 4,700                          |
| Gear ratios 2nd                           | 2,842                          |
| Gear ratios 3rd                           | 1,909                          |
| Gear ratios 4th                           | 1,382                          |
| Gear ratios 5th                           | 1,000                          |
| Gear ratios 6th                           | 0,808                          |
| Gear ratios 7th                           | 0,699                          |
| Gear ratios 8th                           | 0,580                          |
| Gear ratios 9th                           | 0,479                          |
| Reverse                                   | 3,805                          |
| TRACTION                                  |                                |
| Traction system                           | Jeep Active Drive II           |
| Final drive ratio                         | 4,088                          |
| Crawl ratio                               | 56,0                           |
| WEIGHT AND DIMENSIONS                     |                                |
| Towing capacity braked trailer (kg)       | 2370                           |
| Max. vertical load on coupling point (kg) | 125                            |
| Gross Vehicle Weight (kg)                 | 2494                           |
| Length (mm)                               | 4623                           |
| Width (mm)                                | 1859                           |
| Height (mm) at roof rails                 | 1709                           |
| Wheelbase (mm)                            | 2718                           |
| Track front (mm)                          | 1593                           |
| Track rear (mm)                           | 1593                           |

| Brakes - Vented front rotors (mm)                              | 330 X 28         |
|--|------------------|
| Brakes - Solid rear rotors (mm)                                | 278 x 12         |
| Steering ratio   | 15:1             |
| Turning diameter (curb to curb) (m)                            | 11,6             |
| Steering turns (lock to lock)                                  | 2,56             |
| Approach Angle (degrees)                                       | 21               |
| Departure Angle (degrees)                                      | 27,3             |
| Break Over Angle (degrees)                                     | 21,7             |
| Ground clearance (mm)  | 208              |
| Water fording (mm)   | 482,6 (@ 8 km/h) |
| Cargo Volume up to tonneau cover - Seat full forward [I]       | 570              |
| Cargo Volume up to tonneau cover - Seat design position [I]    | 448              |
| Cargo Volume up to 2nd Row Seatback, - Seat full forward [I]   | 552              |
| Cargo Volume up to 2nd Row Seatback - Seat design position [I] | 437              |
| EMISSION AND FUEL CONSUMPTION*                                 |                  |
| Emission Class   | Euro 6d-Temp     |
| Emission CO <sub>2</sub> (g/km) Combined                       | 179              |
| Fuel consumption (L/100km) Urban                               | 7,5              |
| Fuel consumption (L/100km) Extra urban                         | 6,4              |
| Fuel consumption (L/100km) Combined                            | 6,9              |
| PERFORMANCE  |                  |
| Performance (0-100 Km/h) (sec)                                 | 9,3              |
| Top Speed (km/h)   | 200              |
|  |                  |

<sup>\*</sup> CO2 and fuel consumption values determined on the basis of the measurement/correlation method referring to the NEDC cycle as per Regulation (EU) 2017/1152-1153

The homologation values of CO2 and fuel consumption may not reflect the actual values of CO2 and fuel consumption, which depend on many factors related, by way of example but not limitation, to the driving style, the route, the weather and road conditions, as well as the condition, use and equipment of the vehicle.

The indicated value of CO2 and fuel consumption refers to the versions of the vehicle with the highest and the lowest values. Those values may change with subsequent configuration depending on equipment selected and/or size of tires selected.